INDEX

ADAPTATION, physiological, and nutritional status during and after pregnancy, (Sup. 1) 1.
Adult rats (see Rats).
Alaska pea protein, biological value of, 581.
Albino rats (see Rats).
Alfalfa factor, its relation to the liver and whey factors, further studies on, 13.
ALFIN-SLATER, R. See Cheng, A. L. S., 637.
ALLEN, R. S. See Lambert, M. R., 259.
ALLISON, J. B. See Wainio, W. W., 565.
Alloxan-diabetic rats, comparison of fructose and glucose in the diet of, 525.
Amino acid(s), availability of to microorganisms. II., 375.
—— deficiencies of casein as a source of protein for the chick, 311.
ANDERSON, C. A. See McCormick, M. H., 337.
ANTHONY, W. L. See Beher, W. T., 519.
Antibiotics, a mechanism of the vitamin-sparing action of, 627.
Ariboflavinosis, galactoflavin-produced, relation of protein and fat intake to growth and corneal vascularization in, 467.
Ash content of rumen ingesta, influence of, on hydrogen ion concentration in the bovine rumen, 457.

BABCOCK, M. J. See Clayton, M. M., 383.
Balance, nitrogen (see Nitrogen balance.)
BARNING, C. P. See Sarett, H. P., 525.
BAUMANN, C. A. See Waibel, P. E., 65, 273.
BECK, L. W. See Mattson, F. H., 575.
BEHER, W. T., AND W. L. ANTHONY. Prevention of the cholesterol type of fatty livers in mice by dietary dihydrocholesterol, 519.
BENEDICT, J. H. See Mattson, F. H., 575.
BERT, M. H. See Mitchell, H. H., 483.
BEVERIDGE, J. M. R. See McLean, J. R., 499.
Biochemical assessment of nutritional status during and after pregnancy, (Sup. 1) 35.
Biological value of Alaska pea protein, 581.
—— —— inorganic phosphates, studies on, 115.
BIRD, H. R. See Waibel, P. E., 65, 273.
BIXLER, D., J. C. MUHLER AND W. G. SHAFER. Experimental dental caries. V. The effects of desalivation and castration on caries and fluorine storage in the rat, 345.
BLODI, F. See Kaunitz, H., 467.
Blood constituents of rats exposed to 94°F. for 72 hours. Effect of high environmental temperatures on metabolism, 155.
— experiment, referee, involving use of microchemical methods, 383.
BLUM, A. E. See Horn, M. J., 375.
Bovine rumen (see Rumen, bovine).
BRIGGS, G. M. See Reid, M. E., 507.

CALCINOSIS syndrome, occurrence of, in cotton rats. IV. The effect of diet and the age of the animals on the development of the disease and on the urinary excretion of various metabolites, 165.
Calcium, sodium or potassium, effect of, on the growth of young rabbits fed purified diets containing different levels of fat and protein, 591.
Calf, lipid deficiency in, 259.
Carbohydrate, fat and vitamin E, interrelation of, in the diet of the growing rat, 613.
— influence of, on nitrogen balance and liver composition in the adult rat, 51.
Caries, dental (see Dental caries).
Carotenoids and vitamin A, concentrations of in serum during and after pregnancy, (Sup. 1) 55.
Casein, amino acid deficiencies of, as a source of protein for the chick, 311.
CASON, J. L., E. S. RUBY AND O. T. STALLCUP. The influence of the ash content of the rumen ingesta on the hydrogen ion concentration in the bovine rumen, 457.
Castration and desalivation, effects of on caries and fluorine storage in the rat, 345.
CHENG, A. L. S., M. RYAN, R. ALFIN-SLATER AND H. J. DEUEL, JR. The effect of fat level of the diet on general nutrition. XI. The protective effect of varying levels of ethyl linoleate against multiple sublethal doses of x-irradiation in the rat, 637.
Chick(s), amino acid deficiencies of casein as a source of protein for, 311.
— diets, purified, effect of salts on the instability of thiamine in, 273.
— fecal flora in, correlation between feed consumption and, 75.
— growth inhibitor in linseed oil meal, some properties of, 555.
— rhythmic response of, to injected thiamine, 65.
— studies on the biological value of inorganic phosphates, 115.
Children and infants, poorly-nourished, serum level for essential unsaturated fatty acids in, 367.
— healthy, serum level for essential unsaturated fatty acids in, 355.
Chinchillas, studies on the nutritional requirements of, 427.
Cholesterol type of fatty livers, prevention of in mice by dietary dihydrocholesterol, 519.
CLAYTON, M. M., M. J. BABCOCK, W. D. FOSTER, S. STERGEVSKY, R. E. TUCKER, A. W. WERTZ AND H. H. WILLIAMS. A referee blood experiment involving the use of microbiological methods, 383.
Clinical assessment of physiological adaptation and nutritional status during and after pregnancy, (Sup. 1) 29.
CONSTANT, M. A., AND P. H. PHILLIPS. The occurrence of a calcinosis syndrome in cotton rats. IV. The effect of diet and the age of the animals on the development of the disease and on the urinary excretion of various metabolites, 165.
Cooking, effect of, and of methionine supplementation on the growth-promoting property of cowpea (Vigna sinensis) protein, 199.
Corneal vascularization, relation of protein and fat intake to growth and, in galactoflavin-produced ariboflavinosis, 467.

Correlation between feed consumption and fecal flora in chicks, 75.
Cotton rats (see Rats).
Cowpea (Vigna sinensis) protein, effect of cooking and of methionine supplementation on the growth-promoting property of, 199.
CRAIG, J. A. See Constant, M. A., 165.
CRAVENS, W. W. See Waibel, P. E., 65.
CSONKA, F. A., R. J. LILLIE AND W. F. MARTIN. The maternal diet as a source of growth factors transmitted by the hen through the egg to the progeny, 285.

DAVIS, P. N. See Kratzer, F. H., 555.
Decidua, rabbit (see Reproduction).
Dental caries, experimental. V. The effects of desalivation and castration on, in the rat, 345.
Desalivation and castration, effects of, on caries and fluorine storage in the rat, 345.
DEUEL, H. J., JR. See Cheng, A. L. S., 637.
Diet(s), effect of, on the development of a calcinosis syndrome in cotton rats, 165.
— fat level of, effect on general nutrition. XI. The protective effect of varying levels of ethyl linoleate against multiple sublethal doses of x-irradiation in the rat, 637.
— free from fat, effect of feeding at successive intervals to groups of weanling rats, 499.
— histidine-deficient, effect of force-feeding of, on nitrogen balance of young albino rats, 25.
— maternal, as a source of growth factors transmitted by the hen through the egg to the progeny, 285.
— methionine-deficient, effect of force-feeding of, on nitrogen balance of young albino rats, 25.
— of growing rat, interrelation of fat, carbohydrate and vitamin E in, 613.
— purified chick, effects of salts on the instability of thiamine in, 273.
— purified, containing different levels of fat and protein, effect of potassium, sodium or calcium in, on growth of young rabbits, 591.
— purified, role of myo-inositol in, 337.
— self-selected, zinc metabolism of young college women on, 209.
Dietary assessment of physiological adaptation and nutritional status during and after pregnancy, (Sup. 1) 81.
Dietary dihydrocholesterol, prevention of the cholesterol type of fatty livers in mice by, 519.
— mineral supplements, effects of on the nutritive value of soybean forage, 127.
— protein in weanling rats, studies on the response of liver xanthine oxidase to, 187.
— protein levels, relation of growth and food consumption in relation to, in chicks, 241.
— sodium chloride, interactions between a high concentration of, and various levels of protein when fed to the growing rat, 137.
Dihydrocholesterol, dietary, prevention of the cholesterol type of fatty livers in mice by, 519.
DILORETO, P. C. See Macy, I. G., (Sup. 1) 1.
Dogs, skin of, histologic changes in relation to dietary fat, 541.

EGGS as means of transference of growth factors from maternal diet of the hen to the progeny, 285.
EICHEL, B. See Wainio, W. W., 565.
ELVEHJEM, C. A. See Larrivee, G. P., 427; Litwack, G., 187; Monson, W. J., 627.
Embryonic development, rabbit (see Reproduction).
Energy and protein intakes, influence upon nitrogen retention in the pregnant rat, 297.
— intake, level of, and protein metabolism, absence of a time factor in the relationship between, 99.
— of organic nutrients for the rat, determination of the metabolizable, 601.
Enzymes in protein depletion. II. Oxidative enzymes of heart ventricle, 565.
— oxidative of heart ventricle in protein depletion, 565.
ERSHOFF, B. H. Protective effects of liver in immature rats fed toxic doses of thiouracil, 437.
Ethyl linoleate, protective effect of varying levels against multiple sublethal doses of x-irradiation in the rat, 637.
Excretion, urinary, of various metabolites in cotton rats. Effect of diet and the age of the animals on the development of a calcinosis syndrome, 165.

FAT(s), carbohydrate and vitamin E, interrelation of in the diet of the growing rat, 613.
— and protein, different levels of in purified diets, effect of potassium, sodium or calcium in, on growth of young rabbits, 591.
— — — intake, relation to growth and corneal vascularization in galactoflavin-produced ariboflavinosis, 467.
— diets free from, effect on hepatic necrosis when fed at successive intervals to groups of weanling rats, 499.
— dietary, sequence of histologic skin changes of dogs in relation to, 541.
— level of diet, effect on general nutrition. XI. The protective effect of varying levels of ethyl linoleate against multiple sublethal doses of x-irradiation in the rat, 637.
FATTERPAKER, P. See Litwack, G., 187.
Fatty acids, essential, and human nutrition. I. Serum level for unsaturated, in healthy children, 355; II. Serum level for unsaturated, in poorly-nourished infants and children, 367.
— — free, triglycerides, or partial glycerides, composition of intestinal lumen lipides following the feeding of, 575.
— livers in mice, prevention of the cholesterol type of by dietary dihydrocholesterol, 519.
Fecal flora in chicks, correlation between feed consumption and, 75.
— nitrogen (see Nitrogen, metabolic fecal).
Feed consumption and fecal flora in chicks, correlation between, 75.
Fertilization (phosphate), effects of on the nutritive value of soybean forage, 127.
— (rabbit) (see Reproduction).
Fetal development, rabbit (see Reproduction).
FISHER, H., H. M. SCOTT AND R. G. HANSEN. Further studies on the alfalfa factor and its relation to the liver and whey factors, 13.
Flora, fecal in chicks, correlation between feed consumption and, 75.
Fluorine storage in the rat, effects of desalivation and castration on caries and, 345.
Folin, Otto (1867–1934), 3.
Food consumption and growth in chicks, relation to dietary levels of protein and fibrous bulk, 241.

FORBES, R. M., AND L. VAUGHAN. Nitrogen balance of young albino rats force-fed methionine- or histidine-deficient diets, 25.
FOSTER, W. D. See Clayton, M. M., 383.
Fructose, comparison with glucose in the diet of alloxan-diabetic rats, 525.

GALACTOFLAVIN-produced ariboflavinosis, relation of protein and fat intake to growth and corneal vascularization in, 467.
GANDER, J. E. See Viswanatha, T., 613.
GIBBS, R. H. See Wiese, H. F., 355.
GILLIS, M. B., L. C. NORRIS AND G. F. HEUSER. Studies on the biological value of inorganic phosphates, 115.
Glucose, comparison with fructose in the diet of alloxan-diabetic rats, 525.
Glycine, dietary protein and, as precursors of porphyrins in the rat, 89.
GRAU, C. R. See Peterson, D. W., 241.
Growth and corneal vascularization on galactoflavin-produced ariboflavinosis, relation of protein and fat intake to, 467.
— — food consumption in chicks, relation to dietary levels of protein and fibrous bulk, 241.
— factors, maternal diet as source of, transmitted by the hen through the egg to the progeny, 285.
— inhibitor, chick, in linseed oil meal, some properties of, 555.
— of rats exposed to 94°F. for 72 hours. Effect of high environmental temperatures on metabolism. I., 155.
— — young rabbits, effect of potassium, sodium or calcium on, fed diets containing different levels of fat and protein, 591.
— -promoting property of cowpea (Vigna sinensis) protein, effect of cooking and of methionine supplementation on, 199.
— rabbits, three- to four-week-old, fed purified and stock rations, 39.
Guinea pig, nutritional studies with, II. Pantothenic acid, 507.
GUZMAN, M. A. See Squibb, R. L., 155.

HANSEN, A. E., J. G. SINCLAIR AND H. F. WIESE. Sequence of histologic changes in skin of dogs in relation to dietary fat, 541.
— AND H. F. WIESE. Essential fatty acids and human nutrition. II. Serum level for unsaturated fatty acids in poorly-nourished infants and children, 367.
— See Fisher, H., 13; Wiese, H. F., 355.
HARPER, A. E. See Monson, W. J., 627.
HARRIS, P. N. See McCormick, M. H., 337.
HAUSER, M. M. See Slinger, S. J., 75.
HAYS, R. L. See Lamming, G. E., 217, 227.
Heart ventricle, oxidative enzymes of, in protein depletion, 565.
Hemoglobin, concentrations of during and after pregnancy, (Sup. 1) 37.
Hen, growth factors in maternal diet of transmitted through the egg to the progeny, 285.
Hepatic necrosis induced by dietary means. VIII. The effect of feeding a diet free from fat at successive intervals to groups of weanling rats, 499.
HEUSER, G. F. See Gillis, M. B., 115.
Histidine-deficient diets, effect of force-feeding of, on nitrogen balance of young albino rats, 25.
Histologic changes in skin of dogs in relation to dietary fat, sequence of, 541.
HOEFER, J. A. See Miller, E. R., 405.
HOGAN, A. G. See Wietlake, A. W., 311.
HORN, M. J., A. E. BLUM AND M. WOMACK. Availability of amino acids to microorganisms. II. A rapid microbial method of determining protein value, 375.
Human nutrition (see Nutrition, human).
Hydrogen ion concentration, influence of ash content of rumen ingesta on, in bovine rumen, 457.

INFANTS and children, poorly-nourished, serum level for essential unsaturated fatty acids in, 367.
Inhibitor, chick growth, in linseed oil meal, some properties of, 555.
Intestinal lumen lipides, composition of following the feeding of triglycerides, partial glycerides or free fatty acids, 575.

JACOBSON, N. L. See Lambert, M. R., 259.
JOHNSTON, R. L. See Kaunitz, H., 467; Miller, E. R., 405.

KAUNITZ, H., H. WIESINGER, F. G. BLODI, R. E. JOHNSTON AND C. A. SLANETZ. Relation of protein and fat intake to growth and corneal vascularization in galactoflavin-produced ariboflavinosis, 467.
KELLEY, H. J. See Macy, I. G., (Sup. 1) 1.
KELLEY, L., AND M. A. OHLSON. Experimental variables in predicting protein minima for rats, 325.
KEMPSTER, H. L. See Wietlake, A. W., 311.
KENDALL, K. A. See Lamming, G. E., 217, 227.
KRATZER, F. H., D. E. WILLIAMS, B. MARSHALL AND P. N. DAVIS. Some properties of the chick growth inhibitor in linseed oil meal, 555.

LAMBERT, M. R., N. L. JACOBSON, R. S. ALLEN AND J. H. ZALETEL. Lipid deficiency in the calf, 259.
LAMMING, G. E., G. W. SALISBURY, R. L. HAYS AND K. A. KENDALL. The effect of incipient vitamin A deficiency on reproduction in the rabbit. I. Decidua, ova and fertilization, 217; II. Embryonic and fetal development, 227.
LARRIVEE, G. P., AND C. A. ELVEHJEM. Studies on the nutritional requirements of chinchillas, 427.
LIENER, I. E. See Viswanatha, T., 613.
LILLIE, R. J. See Csonka, F. A., 285.
Linseed oil meal, some properties of the chick growth inhibitor in, 555.
Lipid deficiency in the calf, 259.
Lipides, intestinal lumen, composition of following the feeding of triglycerides, partial glycerides or free fatty acids, 575.
LITWAK, G., P. FATTERPAKER, J. N. WILLIAMS, JR., AND C. A. ELVEHJEM. Studies on the response of liver xanthine oxidase to dietary protein in weanling rats, 187.
Liver(s) and whey factors, further studies on the alfalfa factor and its relation to, 13.
— composition, in adult rat, influence of carbohydrate, nitrogen source and prior state of nutrition on, 51.
— fatty, prevention of the cholesterol type of in mice by dietary dihydrocholesterol, 519.
— protective effect of, in immature rats fed toxic doses of thiouracil, 437.
— xanthine oxidase, studies on the response of to dietary protein in weanling rats, 187.

LUCAS, J., AND J. M. ORTEN. Dietary protein and glycine as precursors of porphyrins in the rat, 89.
LUECKE, R. W. See Miller, E. R., 405.

MACK, H. G. See Macy, I. G., (Sup. 1) 1.
MACY, I. G., E. Z. MOYER, H. J. KELLEY, H. G. MACK, P. C. DILORETO AND J. P. PRATT. Physiological adaptation and nutritional status during and after pregnancy. Seriatim concentrations of hemoglobin, sera total protein, vitamin C, vitamin A, carotenoids and alkaline phosphatase: clinical and dietary assessments; racial and socioeconomic influences, (Sup. 1) 1.
MARSHALL, B. See Kratzer, F. H., 555.
MARSHALL, M. W., AND M. WOMACK. Influence of carbohydrate, nitrogen source and prior state of nutrition on nitrogen balance and liver composition in the adult rat, 51.
MARTIN, W. F. See Csonka, F. A., 285.
Maternal diet (see Diet, maternal).
MATRONE, G., V. B. WELDON, W. W. G. SMART, JR., F. W. SHEEWOOD, F. H. SMITH AND G. H. WISE. Effects of phosphate fertilization and dietary mineral supplements on the nutritive value of soybean forage, 127.
MATTSON, F. H., J. H. BENEDICT AND L. W. BECK. Composition of intestinal lumen lipides following the feeding of triglycerides, partial glycerides or free fatty acids, 575.
MCCORMICK, M. H., P. N. HARRIS AND C. A. ANDERSON. The role of myo-inositol in purified diets, 337.
MCLEAN, J. R., AND J. M. R. BEVERIDGE. Hepatic necrosis induced by dietary means. VIII. The effect of feeding a diet free from fat at successive intervals to groups of weanling rats, 499.
Metabolic fecal nitrogen, determination of, 483.
Metabolism, effect of high environmental temperatures on. I. Growth and blood constituents of rats exposed to 94°F., for 72 hours, 155.
— protein (see Protein metabolism).
— zinc, in young college women on self-selected diets, 209.
Methionine-deficient diets, effect of force-feeding of, on nitrogen balance of young albino rats, 25.
— supplementation, effect of on the growth-promoting property of cowpea (Vigna sinensis) protein, 199.
METTA, V. C., AND H. H. MITCHELL. Determination of the metabolizable energy of organic nutrients for the rat, 601.
MEYER, J. H. Interactions between a high concentration of dietary sodium chloride and various levels of protein when fed to the growing rat, 137.
Mice, cholesterol type of fatty livers in, prevention of by dietary dihydrocholesterol, 519.
MICKELSEN, O. See Wooley, J. G., 591.
Microbial method for determining protein value. Availability of amino acids to microorganisms, II., 375.
Microchemical methods used in referee blood experiment, 383.
Microorganisms, availability of amino acids to, II., 375.
MILLER, D. F. See Schneider, B. H., 581.
MILLER, E. R., R. L. JOHNSTON, J. A. HOEFER AND R. W. LUECKE. The riboflavin requirement of the baby pig, 405.
Mineral supplements, dietary, effects on the nutritive value of soybean forage, 127.
MITCHELL, H. H. See Metta, V. C., 601.
— AND M. H. BERT. The determination of metabolic fecal nitrogen, 483.
MONSON, W. J., A. E. HARPER, M. E. WINJE AND C. A. ELVEHJEM. A mechanism of the vitamin-sparing effect of antibiotics, 627.
MOTZOK, I. See Slinger, S. J., 395.
MOYER, E. Z. See Macy, I. G., (Sup. 1) 1.
MUHLER, J. C. See Bixler, D., 345.
MUNRO, H. N., AND T. W. WIKRAMANAYAKE. Absence of a time factor in the relationship between level of energy intake and protein metabolism, 99.
Myo-inositol in purified diets, role of, 337.

NECROSIS, hepatic, induced by dietary means. VIII., 499.
Nitrogen balance in adult rat, influence of carbohydrate, nitrogen source and prior state of nutrition on, 51.
— — of young albino rats, effect of force-feeding methionine- or histidine-deficient diets, 25.
— metabolic fecal, determination of, 483.
— retention in the pregnant rat, influence of protein and energy intakes upon, 297.
— source of, influence on nitrogen balance and liver composition in the adult rat, 51.
NORRIS, L. C., See Gillis, M. B., 115.
Nutrients, organic, for the rat, determination of the metabolizable energy of, 601.
Nutrition, effect of fat level of the diet on general, XI. The protective effect of varying levels of ethyl linoleate against multiple sublethal doses of x-irradiation in the rat, 637.
— human, essential fatty acids and, I. Serum level for unsaturated fatty acids in healthy children, 355; II. Serum level for unsaturated fatty acids in poorly-nourished infants and children, 367.
— prior state of, influence on nitrogen balance and liver composition in the adult rat, 51.
Nutritional requirements of chinchillas, studies on, 427.
— studies with the guinea pig. II. Pantothenic acid, 507.
Nutritional status and physiological adaptation during and after pregnancy, (Sup. 1) 1.
Nutritive value of soybean forage, effects of phosphate fertilization and dietary mineral supplements on the, 127.

O'DELL, B. L. See Wietlake, A. W., 311.
OHLSON, M. A. See Kelley, L., 325.
ORTEN, J. M. See Lucas, J., 89.
Ova, rabbit (see Reproduction).
Oxidase, liver xanthine, studies on the response of to dietary protein in weanling rats, 187.

PANTOTHENIC acid, nutritional studies with in the guinea pig, 507.
Pea protein (see Protein, Alaska pea).
PEEK, N. F. See Peterson, D. W., 241.
PEPPER, W. F. See Slinger, S. J., 75, 395.

Perosis in turkeys, interrelationship between vitamin E and phosphorus in preventing, 395
PERSON, P. See Wainio, W. W., 565.
PETERSON, D. W., C. R. GRAU AND N. P. PEEK. Growth and food consumption in relation to dietary levels of protein and fibrous bulk, 241.
PETERSON, W. J. See Sherwood, F. W., 199.
PHILLIPS, P. H. See Constant, M. A., 165.
Phosphate(s) fertilization, effects of on the nutritive value of soybean forage, 127.
— inorganic, studies on biological value of, 115.
Phosphatase, serum alkaline concentrations of during and after pregnancy, (Sup. 1) 65.
Phosphorus and vitamin E, interrelationship between, in preventing perosis in turkeys,
Physiological adaptation and nutritional status during and after pregnancy, (Sup. 1) 1.
395.
Pigs, baby, riboflavin requirement of, 405.
PIKE, R. L., H. B. SUDER AND M. L. ROSE. The influence of protein and energy intakes upon nitrogen retention in the pregnant rat, 297.
Porphyrins in the rat, dietary protein and glycine as precursors of, 89.
Potassium, sodium or calcium, effect of on the growth of young rabbits fed purified diets containing different levels of fat and protein, 591.
PRATT, J. P. See Macy, I. G., (Sup. 1) 1.
Pregnancy, physiological adaptation and nutritional status during and after, (Sup. 1) 1.
Pregnant rats (see Rats).
Protein(s), Alaska pea, biological value of, 581.
— and energy intake, influence on nitrogen retention in the pregnant rat, 297.
— and fat, different levels of, in purified diets, effect of potassium, sodium or calcium in, on the growth of young rabbits, 591.
— — — intake, relation to growth and corneal vascularization in galactoflavin-produced ariboflavinosis, 467.
— cowpea (Vigna sinensis), effect of cooking and of methionine supplementation on the growth-promoting property of, 199.
— depletion, enzymes in, II., 565.
— dietary, and glycine as precursors of porphyrins in the rat, 89.
— — in weanling rats, studies on the response of liver xanthine oxidase to, 187.
— for the chick, amino acid deficiencies of casein as a source of, 311.
— interactions between a high concentration of dietary sodium chloride and various levels of, when fed to the growing rat, 137.
— levels, dietary, relation to growth and food consumption in the chick, 241.
— metabolism, absence of a time factor in the relationship between level of energy intake and, 99.
— minima, experimental variables in predicting for rats, 325.
— value, rapid microbial method for determining. Availability of amino acids to microorganisms. II., 375.

RABBIT(s), reproduction in, effect of incipient vitamin A deficiency on, I. Decidua, ova and fertilization, 217; II. Embryonic and fetal development, 227.
— growth of three- and four-week-old, fed purified and stock rations, 39.
— young, fed purified diets containing different levels of fat and protein, effect of potassium, sodium or calcium on the growth of, 591.
Rat(s), adult, influence of carbohydrate, nitrogen source and prior state of nutrition of, on nitrogen balance and liver composition, 51.
— alloxan-diabetic, comparison of fructose and glucose in the diet of, 525.
— cotton, occurrence of a calcinosis syndrome in, IV. The effect of diet and the age of the animals on the development of the disease and on the urinary excretion of various metabolites, 165.
— determination of the metabolizable energy of organic nutrients for the, 601.
— dietary protein and glycine as precursors of porphyrins in the, 89.
— experimental dental caries and fluorine storage in, effects of desalivation and castration on, 345.
— experimental variables in predicting protein minima for, 325.
— growing, interactions between a high concentration of sodium chloride and various levels of protein when fed to the, 137.
— — interrelation of fat, carbohydrate and vitamin E in the diet of, 613.
— growth and blood constituents of, exposed to 94°F. for 72 hours. Effect of high environmental temperatures on metabolism, I., 155.
— immature, fed toxic doses of thiouracil, protective effects of liver in, 437.
— pregnant, influence of protein and energy intakes upon nitrogen retention in, 297.
— protective effect of varying levels of ethyl linoleate against multiple sublethal doses of x-irradiation in the, 637.
— weanling, hepatic necrosis induced by dietary means. VIII. Effect of a diet free from fat, 499.
— — studies on the response of liver xanthine oxidase to dietary protein in, 187.
— young albino, effect of force-feeding methionine- or histidine-deficient diets on nitrogen balance of, 25.
Rations, purified, effect on growth of three- and four-week-old rabbits, 39.
— stock, effect on growth of three- and four-week-old rabbits, 39.
Referee blood experiment involving the use of microchemical methods, 383.
REID, M. E., AND G. M. BRIGGS. Nutritional studies with the guinea pig. II. Pantothenic acid, 507.
Reproduction, rabbit, effect of incipient vitamin A deficiency on. I. Decidua, ova and fertilization, 217; II. Embryonic and fetal development, 227.
Riboflavin requirement of the baby pig, 405.
ROSE, M. L. See Pike, R. L., 297.
Roughage, growth and food consumption in relation to dietary levels of protein and fibrous bulk in chicks, 241.
ROWLEY, G. R. See Wainio, W. W., 565.
RUBY, E. S. See Cason, J. L., 457.
Rumen, bovine, influence of ash content of rumen ingesta on the hydrogen ion concentration in the, 457.
— ingesta, influence of ash content of on the hydrogen ion concentration in the bovine rumen, 457.
RYAN, M. See Cheng, A. L. S., 637.

SALISBURY, G. W. See Lamming, G. E., 217, 227.
Salts, effects of on the instability of thiamine in purified chick diets, 273.
SARETT, H. P., AND L. P. SNIPPER. Comparison of fructose and glucose in the diet of alloxan-diabetic rats, 525.
SCHNEIDER, B. H., AND D. F. MILLER. The biological value of Alaska pea proteins, 581.
SCHNEIDER, D. L. See Sarett, H. P., 525.
SCOTT, H. M. See Fisher, H., 13.
SCOULAR, F. I. See Tribble, H. M., 209.
SCRIMSHAW, N. S. See Squibb, R. L., 155.
Serum alkaline phosphatase, concentrations of during and after pregnancy, (Sup. 1) 65.
Serum level for essential unsaturated fatty acids in healthy children, 355.
— — — — — — — — — — poorly-nourished infants and children, 367.
Serum protein, concentrations of during and after pregnancy, (Sup. 1) 43.
SHAFER, W. G. See Bixler, D., 345.
SHAFFER, P. Otto Folin (1867–1934), 3.
SHERWOOD, F. W. See Matrone, G., 127.
— V. B. WELDON AND W. J. PETERSON. Effect of cooking and of methionine supplementation on the growth-promoting property of cowpea (Vigna sinensis) protein, 199.
SINCLAIR, J. G. See Hansen, A. E., 541.
Skin of dogs, sequence of histologic changes in, in relation to dietary fat, 541.
SLANETZ, C. A. See Kaunitz, H., 467.
SLINGER, S. J., M. M. HAUSER AND W. F. PEPPER. The correlation between feed consumption and fecal flora in chicks, 75.
— W. F. PEPPER AND I. MOTZOK. Interrelationship between vitamin E and phosphorus in preventing perosis in turkeys, 395.
SMART, W. W. G., JR. See Matrone, G., 127.
SMITH, F. H. See Matrone, G., 127.
SNIPPER, L. P. See Sarett, H. P., 525.
Sodium chloride, interactions between a high concentration of dietary, and various levels of protein when fed to the growing rat, 137.
Sodium, potassium or calcium, effect of on growth of young rabbits fed purified diets containing different levels of fat and protein, 591.
Soybean forage, nutritive value of, effects of phosphate fertilization and dietary mineral supplements on, 127.
SQUIBB, R. L., M. A. GUZMAN AND N. S. SCRIMSHAW. Effect of high environmental temperatures on metabolism. I. Growth and blood constituents of rats exposed to 94°F. for 72 hours, 155.
STALLCUP, O. T. See Cason, J. L., 457.
STREGEVSKY, S. See Clayton, M. M., 383.
SUDAR, H. B. See Pike, R. L., 297.

TEMPERATURE, high environmental, effect of on metabolism. I. Growth and blood constituents of rats exposed to 94°F. for 72 hours, 155.
Thiamine, in purified chick diets, effects of salts on the instability of, 273.
— rhythmic response of chicks to injected, 65.
Thiouracil, toxic doses of, protective effects of liver in immature rats fed, 437.
Time factor, absence of, in the relationship between level of energy intake and protein metabolism, 99.
TRIBBLE, H. M., AND F. I. SCOULAR. Zinc metabolism of young college women on self-selected diets, 209.
Triglycerides, partial glycerides or free fatty acids, composition of intestinal lumen lipides following the feeding of, 575.
TUCKER, R. E. See Clayton, M. M., 383.
Turkeys, perosis in, interrelationship between vitamin E and phosphorus in preventing, 395.

UNSATURATED fatty acids, essential, and serum level in healthy children, serum level for, 355.
— — — — — — — — — — poorly-nourished children, serum level for, 367.

VARIABLES, experimental, in predicting protein minima for rats, 325.
Vascularization, corneal, in galactoflavin-produced ariboflavinosis, relation of protein and fat intake to growth and, 467.
VAUGHAN, L. See Forbes, R. M., 25.
Ventricle (see Heart ventricle).
VISWANATHA, T., J. E. GANDER AND I. E. LIENER. Interrelation of fat, carbohydrate and vitamin E in the diet of the growing rat, 613.
Vitamin A deficiency, effect of incipient on reproduction in the rabbit. I. Decidua, ova and fertilization, 217; II. Embryonic and fetal development, 227.
Vitamin A and carotenoids, concentrations of in serum during and after pregnancy, (Sup. 1) 55.
Vitamin C, concentrations of in serum during and after pregnancy, (Sup. 1) 48.
Vitamin E and phosphorus, interrelationship between, in preventing perosis in turkeys, 395.
— fat and carbohydrate, interrelation of in the diet of the growing rat, 613.
Vitamin-sparing effect of antibiotics, a mechanism of the, 627.

WAIBEL, P. E., H. R. BIRD AND C. A. BAUMANN. Effects of salts on the instability of thiamine in purified chick diets, 273.
— W. W. CRAVENS, H. R. BIRD AND C. A. BAUMANN. Rhythmic response of chicks to injected thiamine, 65.
WAINIO, W. W., J. B. ALLISON, B. EICHEL, P. PERSON AND G. R. ROWLEY. Enzymes in protein depletion. II. Oxidative enzymes of heart ventricle, 565.
Weanling rats (see Rats).
WELDON, V. B. See Matrone, G., 127; Sherwood, F. W., 199.
WERTZ, A. W. See Clayton, M. M., 383.
Whey factor, further studies on the alfalfa factor and its relation to the liver and, 13.
WIESE, H. F., R. H. GIBBS AND A. E. HANSEN. Essential fatty acids and human nutrition. I. Serum level for unsaturated fatty acids in healthy children, 355.
— See Hansen, A. E., 367.
WIESINGER, H. See Kaunitz, H., 467.
WIETLAKE, A. W., A. G. HOGAN, B. L. O'DELL AND H. L. KEMPSTER. Amino acid deficiencies of casein as a source of protein for the chick, 311.
WIKRAMANAYAKE, T. W. See Munro, H. M., 99.
WILLIAMS, D. E. See Kratzer, F. H., 555.
WILLIAMS, H. H. See Clayton, M. M., 383.
WILLIAMS, J. N., JR. See Litwack, G., 187.
WINJE, M. E. See Monson, W. J., 627.
WISE, G. H. See Matrone, G., 127.

WOMACK, M. See Horn, M. J., 375; Marshall, M. W., 51.
Women, young college, zinc metabolism of on self-selected diets, 209.
WOOLEY, J. G. Growth of three- to four-week-old rabbits fed purified and stock rations, 39.
— AND O. MICKELSEN. Effect of potassium sodium or calcium on the growth of young rabbits fed purified diets containing different levels of fat and protein, 591.
XANTHINE oxidase (liver), studies in the response of to dietary protein in weanling rats, 187.
X-irradiation in the rat, protective effect of varying levels of ethyl linoleate against multiple sublethal doses of, 637.
ZALETEL, J. H. See Lambert, M. R., 259.
Zinc metabolism of young college women on self-selected diets, 209.